SB115 . Z9B891



Member of the
American Association of Nurserymen
N. Y. State Nurserymen's Association
L. I. Nurserymen's Association

Bulk's Nurse Babylon, N.Y. Bulk's Nurse Babylon, N.Y. Babylon, N





FALL 1955

You are always welcome at Bulk's Nurseries. Come to see us and we will be happy to show you our many blocks of fine well grown stock, especially suited for the landscape trade.

Growers of

Choice Nursery Stock

for over 30 years

Bulk's Nurseries

Babylon, L. J., N. Y.

Telephone: MOhawk 9-4400

Evenings: MOhawk 9-5728

MOhawk 9-4928

Terms and Conditions of Sale:

The prices published in this list cancel those in all previous lists. They are based on present market conditions and are subject to change without notice.

Prices listed are F.O.B. our Nurseries. Transportation at cost borne by the purchaser.

Quantities 1 to 5 at the each rate; 5 to 25 at the 10 rate; 25 and over at the 100 rate.

All stock when especially selected on the nursery will be sold at prices commensurate with the values of the specimens chosen.

Because of prevailing conditions we are unable to do any baling or boxing.

Guarantee: As we have no control over conditions after the plants leave the nursery, we will not replace plants that fail to live or thrive.

Claims: All claims must be made immediately upon receipt of stock.

Terms: Cash with order, or 30 days to parties who have established credit with us.

Balling and burlapping free of charge on evergreens, and also on deciduous stock where B&B is specified; but an additional charge will be made if deciduous stock, not marked B&B, is requested balled and burlapped.

SCHEDULE OF BALLING CHARGES Approximate Cost Depending on Varieties DECIDUOUS TREES Each Each per 100 per 10 \$ $1\frac{1}{4}$ - $1\frac{1}{2}''$ Caliper 4.50 $1\frac{1}{2}$ -2" 5.75 ,, 2-23" 8.50 $2\frac{1}{2}$ -3" 11.00 $3-3\frac{1}{2}''$ 15.00 $3\frac{1}{2}-4''$ 20.004-43" 28.00 $4\frac{1}{2}-5''$ 38.00 5-6" 48.00 6-7" 60.0080.007-8''FLOWERING SHRUBS .652-3'.75 3-4'1.00 4-5' 1.50 5-6' 6-8' 2.50 to 3.50 5.00 to 6.008-10′

The cost of platforms is in addition to the above charges; but will be rebated if they are returned to our nurseries.

In addition to this list we have a Retail Catalogue (with regular discount to the trade) which we will gladly mail upon request.

2 BULK'S N	URSERI	LES	
1.0	Each	Each per 10	Each per 100
ABELIA grandiflora Cans $1-1\frac{1}{2}'$	1.75		
ABIES douglasi (Dougla	s Fir)		
2-3'	4.00	3.60	3.25
$3-3\frac{1}{2}'$	$\frac{1.00}{4.75}$	4.25	o. _ o
$\frac{3}{4}$ - $\frac{5}{2}$	7.00	6.50	
ACER palmatum atropu	rpurea (Jap Red M	Iaple)
$2-2\frac{1}{2}$	8.00		
$2\frac{1}{2}$ - $3^{'}$	11.00		
$ar{3}$ -4'	14.50		
A. platanoides (Norway	Maple)		
$1\frac{3}{4}$ -2" Cal.	11.00	10.00	9.50
$2-2\frac{1}{4}''$ "	14.50	13.50	12.50
91-91" "	16.50	15.50	
$2\frac{1}{2}$ -3" "	20.00	19.00	18.00
$3-3\frac{1}{2}''$ "	26.00		
$3\frac{1}{2}$ - $4'''$ "	35.00		
A. platanoides crimson l	king (Pla	ant Pat. N	o. 735)
(Crimson H			
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal. 8-10'	13.50		
$1\frac{1}{2}$ - $1\frac{3}{4}$ " "	17.50		
APPLES in varieties			
5 to 6-yr. 6-8'	\$3 25	to \$ 5.00) each
Larger Sizes		to \$14.00	
	•	το φτ1.ο	o cacii
AZALEA amoena (purp		2.25	0.00
12-15"	2.50	2,25	2.00
15-18"	3.00	2.75	2.50
$1\frac{1}{2} \cdot 2'$	$\frac{4.00}{5.50}$	$\frac{3.75}{5.00}$	3.50
$2-2\frac{1}{2}$	5.50	5.00	`
A. Fedora Kaempferi hy			
15-18"	3.25	3.00	2.75
A. Firefly	0 -0	2.00	
15-18"	3.50	3.00	
$1\frac{1}{2}-2'$	4.25	4.00	3.75
$2 \cdot 2^{\frac{1}{2}'}$	5.75		
A. Hinodegiri (red)	0.50	0.05	2.00
12-15"	2.50	2.25	2.00
15-18"	$\frac{3.25}{4.50}$	3.00	2.75
18-24"	4.50	4.25	
A. Hinomayo (shell pin		0.05	0.00
12-15"	$\frac{2.50}{2.55}$	2.25	2.00
15-18"	$\frac{3.25}{4.50}$	$\frac{3.00}{4.05}$	2.75
18-24"	$\frac{4.50}{5.75}$	$\frac{4.25}{5.05}$	
$2-2\frac{1}{2}'$ A kuruma Oranga Raas	5.75	5.25	
A. kurume Orange Bear		0.05	9.00
12-15" 15 19"	$\frac{2.50}{2.25}$	$\frac{2.25}{2.00}$	$\frac{2.00}{2.75}$
15-18"	$\frac{3.25}{4.50}$	$\frac{3.00}{4.25}$	2.75
18-24′′	4.50	4.25	
A. ledifolia alba (White)			
12-15"	2.75	2.50	2.25
15-18"	3.50	3.25	3.00

BULK'S NU	JRSER.	IES	3
AZANDA Blacine (Lileo)	Each	Each per 10	Each per 100
AZALEA lilacina (Lilac) 12-15"	2.75	2.50	2.25
15-18"	$\frac{2.75}{3.25}$		2.75
$13-10$ $1\frac{1}{2}-2'$	$\frac{3.25}{4.25}$		3.75
$\frac{1}{2}$ -2 $2\cdot 2\frac{1}{2}$	5.50	5.00	5.75
-			-
A. pontica in varieties (y			nge)
15-18"	$\frac{3.50}{4.25}$	$\frac{3.25}{2.75}$	2.05
18-24"	4.25		3.25
$\frac{2 \cdot 2^{\frac{1}{2}'}}{2^{\frac{1}{2}}}$	$5.50 \\ 6.50$		4.50
$2\frac{1}{2}$ -3'		6.00	
A. poukhanensis (Korear			
15-18"	3.25	$\frac{3.00}{2.75}$	
$1\frac{1}{2}$ -2'	4.00	3.75	
$2 \cdot 2\frac{1}{2}'$	5.00		
A. rhombica (Pale Laven			
18-24"	4.25	FOF	
$2-2\frac{1}{2}$	5.75	5.25	
A. schlippenbachi	2.05	2 00	
15-18"	$\frac{3.25}{4.00}$	3.00	
$1\frac{1}{2}-2'$	4.00		
BERBERIS julianae (Ev	-	Barberry)	
15-18"	2.00		
$1\frac{1}{2}-2'$	3.00		
$2 \cdot 2\frac{1}{2}$	4.50	· Translander	
B. thunbergi atropurpure 15-18"			.45
$10-18$ $1\frac{1}{2}-2'$.55 .70	.50 .60	.40
$\frac{1}{2}$ $\frac{1}{2}$ $\frac{3}{4}$	1.50	1.25	
BIOTA — See Thuja			
		•-4•	
BUDDLEIA (Butterfly B	ush) (v .75	varieties) .60	
CI A COM A NAVO A 110			S 0.
CASTANEA mollissima (e Chestnut	
6-8' 8-10'	$\frac{3.00}{4.50}$	**	
	4.00		
CHAMAECYPARIS C. obtusa cripsi (Golden :	Hinoki	Cypress)	
$2-2\frac{1}{2}'$	4.00	CJ Pross,	
$2\frac{1}{2} - 3'$	5.25	N.	
$\bar{3}$ -4'	7.50	30	
4-5'	12.50		Pag.
C. obtusa gracilis (Slend	er Hine	oki Cypress	s)
2 - $2\frac{1}{2}$ '	3.75	3.50	
$\frac{21}{2}$ -3'	4.50	4.25	
$3-3\frac{1}{2}'$	6.25	5.75	
$\frac{3\frac{1}{2}-4'}{4-5'}$	7.50	6.75	
	10.00	9.00	
6-7'	$14.50 \\ 18.50$		
0-1	10.00		

	Each	Each per 10	Each per 100
CHAMAECYPARIS		1	¥
C. obtusa gracilis con	npacta		
(Compact Hind	oki Cypress)		
2 - $2\frac{1}{2}'$	7.00		
$2\frac{1}{2}$ -3'	9.00		
C. obtusa gracilis nana	(Dwarf Hin	oki Cypr	ess)
$1\frac{1}{2}$ -2'	6.50		
$5-5\frac{1}{2}'$	35.00		
6-7'	45.00		
C. plumosa (Plume C	ypress)		
2 - $2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ -3'	3.25	3.00	2.75
3-4'	3.75	3.50	3.25
4-5'	5.50	5.00	
C. pisifera aurea (Go	lden Sawara	Cypress	s)
$2\frac{1}{2}$ -3'	3.25	3.00	
$\overline{3}$ -4'	4.00	3.75	
4-5'	6.00	5.50	
5-6'	8.50		



	Each	Each per 10	Each per 100
C. plumosa aurea		Por av	F 000
$1\frac{1}{2}$ -2'	2.50	2.25	2.00
$ar{2}$ - $2rac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ - $3'$	3.25	3.00	2.75
$\bar{3}$ - $3\frac{1}{2}'$	4.00	3.75	3.50
$3\frac{1}{2}$ - $4^{'}$	5.00	4.50	
C. filifera (Thread	l Cypress)		
2 - $2\frac{1}{2}$ '	3.00	2.85	2.65
$2\frac{1}{2}$ - 3^{\prime}	3.50	3.25	
$\bar{3}$ -4'	4.00	3.75	
C. squarrosa (Mos	ss Cypress)		
$2 - 2\frac{1}{2}'$	2.75	2.50	
$2rac{1}{2}$ - 3^{r}	3.25	3.00	2.75
$\tilde{3}$ - $3\frac{1}{2}'$	4.00	3.75	3.50
$3\frac{1}{2}$ -4'	5.00	4.75	
$\tilde{4}$ - $4\frac{1}{2}'$	6.00		
CORNUS florida (White Flowering	g Dogwo	od)
$\mathbf{B} \mathbf{\&} \mathbf{B}$			
4-5'	5.25	4.75	
5-6'	7.00	6.50	
6-8'	9.50		




6	BULK'S	NURSERI	ES	
CODNING	G	Each	Each per 10	Each per 100
4-5'	flor. rubra	8.00	7.50	
5-6'		12.00	11.00	
6-7'		$17.00 \\ 17.00$		
	(Chinese Do			
4-5'	(Cilifiese Do	6.00	5.50	5.00
$\frac{4-3}{5-6'}$		7.75	7.25	$\frac{3.00}{7.00}$
$\frac{5-0}{6-7'}$		10.00	1.20	1.00
	Cornelian Ch		&R	
3-4'	Cornenan Ch	3.25	3.00	
4-5'		$\frac{3.25}{4.50}$	5.00	
	inea (Blood T		(boc	
2-3'	anca (Blood 1	.65	.55	
$\frac{2-3}{3-4'}$.90	.75	
<u> </u>	ifera lutea			ood)
2-3'	mera racea	.75	.65	0011)
3-4		.90	.75	
-				
	ASTER divari			
$1\frac{1}{2} - 2'$		1.75	$\frac{1.50}{2.50}$	0.05
2-3'		2.75	2.50	2.25
3-4'	l-4. Dên	3.50	3.25	
	lata — B&B	0.05		
3-4'		$\frac{3.25}{4.00}$	0.75	
4-5'		4.00	3.75	
5-6'	mtalia (Ducad	4.75		
	ontalis (Prost B&B or #10		leaster)	
			9.95	
$1-1\frac{1}{2}$			$\frac{2.25}{2.75}$	
$1\frac{1}{2}$ -2'		3.25		
	A japonica (~	?)	
2 - $2\frac{1}{2}$,	1.00	.85	
DAPHNI	E mezereum	(February	Daphne)	B&B
$1\frac{1}{2}$ -2'		2.75	2.50	
$2-2\frac{1}{2}$		$\frac{2.75}{3.25}$		
_	A crenata an			
3-4'	A CICHAIA AII	.75	.65	.60
3- 4 4-5'		1.00	.05 .85	.75
5-6'		$\frac{1.00}{1.25}$.10
6-8'		1.20 1.50	1.00	
	MITTE (Dod)		nthus)	D 0. D
	THUS (Red			
$2-2\frac{1}{2}'$		$\frac{3.25}{4.00}$	3.00	2.75
$2\frac{1}{2}$ -3'		4.00	3.59	
3-4' 4-5'		5.50		
	*****	8.00		
	IOUS vegetus		1 50	1.05
15-18	'' Heavy	1.75	1.50	1.25
$1\frac{1}{2}$ -2'		2.00	1.75	1.50
2 - $2\frac{1}{2}$		2.50	2.25	2.00
	CHIA fortunei			
3-4'		.90	.75	
4-5'		1.10	.95	
5-6'		1.35	1.10	

	Each	Each per 10	Each per 100
F. intermedia		Polity	PCI 100
3-4'	.90	.75	
4-5'	1.10	.95	
F. spectablis			
3-4'	.90	.75	.70
4-5'	1.10	.95	.85
5-6'	1.35	1.10	1.00
F. Spring Glory (new)			
4-5'	1.50	1.25	
5-6'	1.75	1.50	
GLEDITSIA triacanthos			
(Thornless Honey	vlocust)		
5-6'	2.00	1.75	1.50
6-8'	2.75	2.50	2.25
GLEDITSIA moraine (M (Plant Patent No.		cust)	
6-8'	3.50	3.00	
HALESIA tetraptera			
5-6'	2.25		
6-8'	$\frac{2.20}{4.00}$		
HAMAMELIS virginian			
3-4'	1.25		
4-5′	1.65	1.50	
5-6'	2.00	1.75	
HEDERA helix (English		2.10	
2 Year	.30	.25	.20
4" Pots	.60	.50	.40
HYDRANGEA arb. grai	ndiflora (1	Hills of S	now)
3-4'	1.00	.85	
H. hortensis (Blue Hyd	rangea)		
3-Year Plants	1.50	1.25	1.00
4-Year Plants	2.00	1.75	
H. Pee Gee			
2-3'	.80	.70	.65
3-4'	1.00	.85	.75
4-5'	1.25	1.00	.90
5-6'	1.75		
HYPERICUM aureum			
$2 - 2\frac{1}{2}'$.80	.70	
ILEX bullata			
15-18"	3.75	3.50	3.25
$18-24^{\prime\prime}$	5.00	4.50	
ILEX crenata (Jap. Ho	-		
$1\frac{1}{2}$ -2'	3.50	3.25	
$2-2\frac{1}{2}'$	4.75	4.25	4.00
$2\frac{1}{2}$ -3'	5.75	5.25	5.00
3-4'	8.00	7.25	6.75
$4-4\frac{1}{2}'$	11.00		


8 BULF	C'S NURSERIE	£S:	
	Each	Each per 10	Each per 100
I. crenata (Spreadi	ing Type)	ber 10	ber 100
18-24"	4.00	3.75	
$2-2\frac{1}{2}$	5.25	5.00	
$2\frac{2}{2}$ $2\frac{1}{2}$ $3'$	6.50	6.00	
1. crenata compacts		0.00	
•		2 50	3.25
15-18" Spread	3.75	$\frac{3.50}{4.25}$	
$1\frac{1}{2}$ -Z	4.75	4.25	4.00
Z - $Z\frac{1}{2}$	6.00	5.50	
I. glabra (Inkberry		0.05	0.00
15-18"	2.50	2.25	2.00
$1\frac{1}{2}$ -2'	3.00	2.75	2.50
2 - $2\frac{1}{2}'$	3.50	3.25	3.00
$2\frac{1}{2}$ - $3'$	4.50	4.25	4.00
I. opaca (American	1 Holly)		
2-3'	5.00	4.50	
$\frac{1}{3}$ -4'	7.00	6.50	
3-4' Heavy	8.75	8.00	
4-5'	11.50	10.50	
5-6' ",	15.00	_ ,,,,,	
	ed plants 25%	addition	al.
I. verticillata (Win	_		
2-3'	1.00	.85	.75
$\frac{2}{3}$ -4'	1.15	1.00	.90
4-5'	1.50	2.00	
		10	
JUNIPERUS chine (Pfitzer Juni	_	ia	
	•	2 25	
$1\frac{1}{2}$ -2'	$3.75 \\ 4.75$	$\frac{3.25}{4.25}$	4.00
$2-2\frac{1}{2}' \ 2\frac{1}{2}-3'$		$\frac{4.25}{5.25}$	4.00
$4\frac{1}{2}$ -3 $3-3\frac{1}{2}$	$\begin{array}{c} 5.75 \\ 7.00 \end{array}$	$\begin{array}{c} 5.25 \\ 6.50 \end{array}$	5.00
_	7.00 8.50		
$3\frac{1}{2}$ -4'		8.00	
J. chinensis colum		· · · · ·	
	Chinese Junipe		
5-6'	8.00	7.50	
6-7'	11.00	10.00	
7-8'	$\frac{14.00}{10.00}$	13.00	
8-10′	19.00	18.00	
10-12'	25.00		
16-18'	50.00	u: no\	
J. communis hiber		_	
$\frac{2\frac{1}{2}-3'}{2}$	$\frac{2.25}{2.00}$	$\frac{2.00}{2.75}$	0.57
3-4'	$\frac{3.00}{2.75}$	$\frac{2.75}{2.50}$	2.50
4-5'	3.75	3.50	
J. stricta			
$1\frac{1}{2}$ -2'	2.75	2.50	
2 - $2\frac{1}{2}$	3.50		
J. glauca hetzi (H	letz's Spreadin	g Junipe	r)
$1\frac{1}{2}$ -2'	3.50	3.25	
$ ilde{2}$ - $2rac{1}{2}'$ ·	4.50	4.00	
$2\frac{1}{2}$ - 3 '	5.25	4.75	4.50
$ ilde{3} ext{-}3 frac{1}{2}'$	6.50		
—			

DOLK S IV	OIGEIGI	212	9
•	Each	Each per 10	Each per 100
JUNIPERS		1	P 02 200
J. virg, cannarti (Canna	-	er)	
J. virg. glauca (Blue Ju	_		
J. keteleeri (Keteleer Ce	,		
3-4'	5.50	5.00	
4-5'	6.50	6.00	
5-6'	8.50	7.75	
6-7'	11.00	10.00	
7-8'	14.00		
8-10′	19.00	18.00	
10-12'	26.00	25.00	
KOLKWITZIA amabilis			4.00
4-5'	1.35	1.15	1.00
5-6'	1.65	1.40	
6-7'	2.00		
LABURNUM vossi (Gold		n)	
8-10' B&B	10.00		
LESPEDEZA formosa			
(Purple Bush Clo	ver)		
(Good Deep (Colored S	strain)	
Heavy	1.25	1.00	.85
LEUCOTHOE catesbaei	(Droopir	g Leucet	ihoe)
15-18"	3.00	2.75	
$1\frac{1}{2}$ -2'	3.50	$\frac{2.15}{3.25}$	3.00
_			
LIGUSTRUM ovalifolium 2-3'	n (Camo		
3-4		.20	.16 .25
4-5'		.27 $.40$.2 <i>5</i> .35
L. ibota regelianum (Re	gel's Priv		.00
2-3' Spread	.65	.55	
3-4' "	1.00	.85	
0 1			D c. D
LIQUIDAMBER styracii		eet Gum)	БаБ
$1\frac{3}{4} \cdot 2''$ Cal.	13.50		
$\begin{array}{ccc} 1_{\frac{1}{4}} - 2 & \text{Cal.} \\ 2 - 2_{\frac{1}{4}} '' & \text{''} \\ 2_{\frac{1}{4}} - 2_{\frac{1}{2}} '' & \text{''} \end{array}$	$\begin{array}{c} 17.00 \\ 20.00 \end{array}$		
		_	
LONICERA grandiflora		-	
3-4'	.85	.75	.70
4-5'	1.00	.85	.75
5-6'	1.25	1.00	
MAGNOLIA soulangean			
3-4'	5.50	5.00	
4-5'	7.50	7.00	
5-6'	10.50		
M. soulangeana nigra a			В
3-4'	6.75	6.25	
4-5'	9.00	8.50	
5-6'	12.00	0	
M. alba superba (white			
3-4' M. halloana (Stellata) (s	6.00		
M. halleana (Stellata) (v	willte) —	D&D	



OFFICES ON

	Each	Each per 10	Each per 100
M. halleana (Stellata) (w			per 100
2-3'	8.50		
3-4'	11.00		
4-5'	14.00		
MALUS (Flowering Crab) arnoldi	ana, eleyi,	hopa
6-8′ Heavy	6.50	5.50	
6-8' B&B Heavy	10.00	9.00	
8-10′ Heavy	8.00	7.00	
8-10′ B&B Heavy	12.50	11.50	
10-12' Heavy	13.00	12.00	
10-12′ B&B Heavy	18.00	17.00	
MYRICA pennsylvanica	(Bayber	ry)	
B&B			
$1\frac{1}{2}$ -2'	2.25	2.00	1.85
$ar{2}$ -2 $rac{1}{2}$ '	3.00	2.75	2.50



		Each	Each per 10	Each per 100
NYSSA sylvatica 6-8′ B&B	l	10.00		
OXYDENDRUM	[arboret	ım (Sour	Wood)	
B&B				
3-4'		3.75	3.50	
4-5'		5.50	5.00	
5-6'		7.00	6.50	
PEARS (in var	ieties)			
5-6 Yr.	6-8'	5.00 to	7.00	
	8-10'	8.00 to	12.00	
PHILADELPHU	JS Mt. B	dane (Moc	k Orange)	
3-4'		.85	.75	
4-5'		1.00	.85	.75
5-6'		1.35	1.10	

12 BUI	ZK S NURSERI	ES	
P. Avalanche (do	Each uble improved	Each per 10 type)	Each per 100
3-4'	1.00	.85	.75
4-5'	1.25	1.00	.85
5-6'	1.50	1.25	1.10
6-7'	2.00	1.75	1.60
PHOTINIA villosa			erry)
3-4'	1.25	1.00	
4-5'	1.75	1.50	1.25
5-6' 6-7'	2.25	$\frac{2.00}{2.05}$	1.75
•	2.75	2.25	2.00
PHYSOCARPUS (3-4'	.85	.75	
4-5'	1.00	.85	.75
5-6'	1.25	1.00	.10
P. opulifolius nan			
5-6'	1.75		
6-7'	2.50		
PICEA alba (Whi	-		
3-4'	5.00		
5-6'	8.00		
P. excelsa $1\frac{1}{2}-2'$	9.95	0.00	
$\frac{1}{2}$ -2 $\frac{2}{2}$ -2 $\frac{1}{2}$	$\begin{array}{c} 2.25 \\ 2.75 \end{array}$	$\frac{2.00}{2.50}$	
$2\frac{1}{2}$ $3'$	$\frac{2.75}{3.50}$	$\frac{2.50}{3.00}$	
P. pungens	0.00	0.00	
3-4'	8.00		
4-5'	10.00		
P. pungens glauca 3-4'	19.00		
4-5'	$\begin{array}{c} 12.00 \\ 15.00 \end{array}$		
PIERIS japonica			
15-18"	3.50	3.25	
$1\frac{1}{2}$ -2'	$\frac{3.50}{4.50}$	4.25	
$\overset{\mathtt{-2-}}{2}\overset{\mathtt{-}}{2}\overset{\mathtt{-}}{2}\overset{\mathtt{-}}{2}$	6.25	5.75	
PINUS strobus (W		0.,0	
4-5'	7.00	6.25	
5-6'	10.00		
6-8'	12.50		
PINUS thunbergi	(Jap. Black Pir	ne)	
2-3'	4.25	4.00	3.75
3 - $3\frac{1}{2}'$	5.75	5.25	5.00
$3\frac{1}{2}$ -4'	7.50	7.00	
4-5'	10.00	9.00	
4-5' Heavy	13.00		
PLATANUS aceri		e)	
(London Pl		0.00	
$1\frac{3}{4}$ -2" Cal.	9.50	9.00	
$2\mathbf{-4}\mathbf{\overline{4}}$	$\frac{12.50}{15.50}$	12.00	
24-22	15.50	15.00	
$2\frac{1}{3}$ -3""	20.00	10 00	

19.00

20.00

	1010211011		10
PLATANUS acerifolia (6 $3-3\frac{1}{2}$ " "	26.00	Each per 10	Each per 100
$3\frac{1}{2}$ -4" "	35.00		
POPULUS nigra italica			
5-6'	1.00	.90	
6-8'	1.50	1.25	
RHODODENDRON max	kimum		
(Great Bay Rhodo			
$2\frac{1}{2}$ -3' Heavy	5.50		
3-4'	7.50		
4-5'	10.00		
- 0		zamiotics	Comac
RHODODENDRON Hy tacus, Crimson;			
Dr. H. C. Dresse		,	
anum, Rosy Lila	. ,	,	
lavender.	o, noseum	i elegans	, wose.
15-18"	5.25	5.00	
$1\frac{1}{2}$ -2'	6.50	6.00	5.50
$\overset{1}{2}\overset{2}{2}\overset{1}{2}'$	8.50	8.00	7.50
_		0.00	1.00
RHODODENDRON hyl			
Catawbiense gran			
(Large Floweri	0		
Boursault (Rose-	ŕ	4.50	
15-18"	5.00	4.50	5.00
$1\frac{1}{2}$ -2'	6.00	5.50	5.00
$\frac{2-2\frac{1}{2}'}{2}$	8.00	7.50	7.00
$2\frac{1}{2}$ -3'	10.00		
SALIX babylonica (We			4.50
6-8'	2.00		1.50
8-10' $1\frac{1}{2}$ - $1\frac{3}{4}$ " Cal.	4.25		
10-12 13-2	5.25	4.75	
$2-2\frac{1}{2}''$ Cal.	7.50	7.00	
$2\frac{1}{2} - 3''$,, $3 - 4''$,,	9.50	8.50	
	12.00		
4-5′′ ''	15.00		
SORBUS aucuparia			
$1\frac{1}{4}$ - $1\frac{1}{2}$ " Cal.	6.00		
$1\frac{1}{2}$ -2" "	7.00		
SPIREA Anthony Water	erer		
$1\frac{1}{2}$ -2'	.75	.65	
$\overline{3}$ -4'	1.25	1.00	
S. van Houttei (Bridal	Wreath)		
2-3'	.85	.70	.60
3-4'	1.00	.85	.75
SYMPHORICARPOS ra	acemosus	(Snow Be	erry)
2-3'	.75	.65	.50
3-4'	.85	.70	.65
S. vulgaris (Coral Bern			
2-3'	.75	.65	.50
3-4'	.85	.70	.65
	_		

	Each	Each per 10	Each per 100
SYRINGA japonica		_	
4-5'	1.7	5	
5-6'	2.50		
6-7'	3.25		
7-8'	4.50		
SYRINGA vulgaris	(Common I	Lilac)	
2-3' Heavy	2.00	1.75	
3-4'	2.50	2.25	
S. (French Hybrid 1	Lilac) (in v	varieties)	B&B
2-3'	2.75	2.50	2.25
$\overline{3}$ -4'	$\frac{2.15}{3.75}$	$\frac{2.50}{3.50}$	$\frac{2.25}{3.25}$
4-5'	5.00	4.75	0.20
- 0	9.00	1.10	
} ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	······	~~~~~	~~~~
} _{ты}	E YEW	ı	}
}		V	{
The quality of Bull	k's Taxus is	widely k	nown. {
Our prices very	magant arreal	lan4 l	}
Our prices rep	resent excel	nent value	es. }
\$	······		······· [\]
TO A SETTION IN THE SET	7		
TAXUS baccata repai			
(Spreading En			
15-18"	4,00	3.75	
$1\frac{1}{2}$ -2'	5.00	4.75	4.50
$2-2\frac{1}{2}$	6.50	6.00	
T. baccata hibernica		·)	
$3-3\frac{1}{2}'$	8.50		
$3\frac{1}{2}$ - $4'$	10.00		
T. cuspidata (Spread	ing Jap. Ye	ew)	
15-18′′	3.50	3.25	3.00
$1\frac{1}{2}$ -2'	4.50	4.25	4.00
2 - $2\frac{1}{2}$ '	5.75	5.25	5.00
$2\frac{1}{2}$ -3'	8.00	7.50	
$3-3\frac{1}{2}'$	11.00		
TAXUS cusp. bulki (1	Bulk's Yew)	. (Same	habit of
grow as Taxus			
very dark foli	age, a choi	ce plant.))
15-18"	3.75	3.50	3.25
$1\frac{1}{2}$ - $2'$	4.75	4.50	4.25
2 - $2\frac{1}{2}'$	6.00	5.50	5.25
TAXUS cuspidata capi	tata (Uprigh	ıt Jap. Ye	w)
$2rac{1}{2} ext{-}3'$	$6.\overline{25}$	5.75	,
$ar{3}$ -3 $rac{1}{2}'$	7.25	6.75	
$3\frac{1}{2}$ - 4^{7}	9.00	8.25	
$\bar{4}$ -4 $\frac{1}{2}$ '	11.50	10.50	9.50
$4-4\frac{1}{2}'$ Heavy	12.50	12.00	11.50
$4\frac{1}{2}$ -5'	13.50	12,50	11.50
$4\frac{1}{2}$ -5' Heavy	16.00	15.00	14.00
$5-5\frac{1}{2}'$ Reg.	16.00	$15.00 \\ 15.00$	$14.00 \\ 14.00$
$5-5\frac{1}{2}$ Heavy	18.00		_
0-02 Heavy	10.00	17.00	16.00

TAXUS cuspidata	Each (Continued)	Each per 10	Each per 100
$5\frac{1}{2}$ -6' Reg.	20.00	18.00	17.00
$5\frac{1}{2}$ -6' Heavy	25.00	23.00	_,,,,
$\overline{6}$ -7' Reg.	26.00	24.00	22.00
6-7′ Heavy	30.00	27.50	
7-8' Reg. "	33.00	30.00	28.50
7-8' Heavy	37.00	34.00	
8-9' "	42.00	38.00	
12-14' ''	100.00		
16-18' ''	140.00		
T. cuspidata capit	ata		
(Wide com	pact, tightly sl		
$3\frac{1}{2}$ -4'	12.00	11.00	
$4-4\frac{1}{2}'$	15.00	14.00	
$4\frac{1}{2}$ -5'	18.50	17.50	
T. capitata column	aris (Columnar	Yew)	
$3\frac{1}{2}$ -4'	9.00	8.25	
4 - $4\frac{1}{2}'$	12.50	11.50	10.50
$4\frac{1}{2}$ - $5'$	14.50	13.50	12.50
5 - $5\frac{1}{2}'$	16.50	15.50	
$5\frac{1}{2}$ -6'	22.00	20.00	
6-7'	27.50		
8-9'	42.00		
9-10'	50.00		
T. cuspidata capit	_		
	t variety with l		
4-4 $\frac{1}{2}$	'. nana — a ve 15.00	ry slow g	rower.)
$4\frac{1}{2}\cdot5'$	19.00		
$\frac{\pi_2}{5-6'}$	$\frac{15.00}{23.00}$	21.50	
6-7'	$\frac{25.00}{35.00}$	$\frac{21.50}{32.50}$	
T. intermedia (Hy		32.30	
(Spreading			
15-18"	3.75	3.50	3.25
$1\frac{1}{2}$ - $2'$	4.75	4.50	4.25
$\overset{-}{2}$ - $\overset{-}{2}$ $\overset{1}{\overset{-}{2}}$ '	6.25	5.75	5.50
$2\frac{1}{2}$ -3'	8.25		
$3-3\frac{1}{2}'$	12.00		
$3\frac{1}{2}$ -4'	16.00		
$4.4\frac{1}{2}'$	20.00		
T. media hatfieldi			2.00
15-18"	$\begin{array}{c} 3.50 \\ 4.00 \end{array}$	$3.25 \\ 3.75$	$\frac{3.00}{3.50}$
$rac{1}{2}$ -2' 2-2 $rac{1}{2}$ '	$\frac{4.00}{4.50}$	$\begin{array}{c} 3.75 \\ 4.25 \end{array}$	$\frac{3.30}{4.00}$
$2\frac{1}{2}$ -3' Reg.	6.00	5.50	5.00
$2\frac{1}{2}$ -3' Heavy	7.00	6.50	
$3-3\frac{1}{2}'$ Reg.	8.50	8.00	
$3-3\frac{1}{2}'$ Heavy	12.00		
$3\frac{1}{2}-4'$ "	15.00		
$4-4\frac{1}{2}'$ "	18.00		

		Each	Each
PRIA WENT CO. 1 ° 1 ° / TW° 1	Each	per 10	per 100
TAXUS hicksi (Hicks			
$1\frac{1}{2}$ -2'	3.50	3.25	3.00
2 - $2rac{1}{2}'$	4.25	4.00	3.75
$2\frac{1}{2}$ -3' Reg.	5.75	5.25	4.75
$2\frac{1}{2}$ -3' Heavy	6.50	6.00	
$3-3\frac{1}{2}'$ Reg.	7.00	6.50	6.00
$3-3\frac{1}{2}'$ Heavy	8.50		
$3\frac{1}{2}$ -4' Reg.	9.75	8.75	
$3\frac{1}{2}$ -4' Heavy	12.00		
$\overline{4}$ - $4\frac{1}{2}$ ' Reg.	13.00		
$4-4\frac{1}{2}'$ Heavy	15.00		
$4\frac{1}{2}$ -5' "	19.00		
5-6' "	25.00		
T. kelseyi (Kelsey's	Yew)		
$1\frac{1}{2}$ -2'	3.50	3.25	
2 - $2\frac{1}{2}$ '	4.25	4.00	
$2\frac{1}{2}$ - $3'$	6.00	5.50	5.00
3 - $3\frac{1}{2}$ '	7.00		
$3\frac{1}{2}$ -4'	9.75		
T. nana brevifolia (D	warf Yew)		
15-18′′	4.25	3.75	
$1\frac{1}{2}$ -2'	5.50	5.00	
$ ilde{2}$ - $2rac{1}{2}$ '	7.50	0.00	
$2\frac{1}{2}$ - $3'$	11.00		
	eulen's Yew)		
$1\frac{1}{2}-2'$	3.75	3.50	3.25
$2 extstyle{-2 extstyle 1}{2 extstyle 2}'$	4.50	4.25	$\frac{3.23}{4.00}$
$2rac{1}{2}$ - $3'$	6.00	5.50	5.00
$3 ext{-} 3 extstyle{}^{1\prime}$	7.50	$\frac{5.50}{7.00}$	5.00
$3\frac{1}{2}$ -4'		7.00	
0 2⁻ T	10.25		

TAXUS CAPITATA and COLUMNARIS For Hedges

These plants, while some are not quite finished enough for individual specimen planting, afford an excellent opportunity for medium cost hedge planting. Grown From Selected Cuttings — B&B

	Each	Each
0.44	per 10	per 160
3-4'	4.75	4.25
	2110	10

THUJA	occidentalis	(American	Arborvitae)	
$2\frac{1}{2}$ -3'		3.00	2.75	2.50
3-4'		3.75	3.50	3.25
4-5'		4.50	4 25	4 00

BOLL	S NORSER	LEIO	1(
	Each	Each per 10	Each per 100
THUJA occ. compact			
(Parson's Arb		0.00	& 1.75
15-18"	$\frac{2.25}{2.75}$	$\frac{2.00}{2.50}$	1.75
$1\frac{1}{2}$ -2'	2.75	2.50	2.25
T. occ. erecta			
$2-2\frac{1}{2}$	2.75	2.50	
$2\frac{1}{2}$ -3'	3.25	3.00	
3 - $3\frac{1}{2}'$	3.75	3.50	
T. occ. lutea (Geor	ge Peabody)	(Arborv	itae)
5-6'	6.50		
6-7'	8.00		
T. occ. nigra (Dark	American Arl	orvitae)	
$2\frac{1}{2}$ -3'	$3\ 00$	2.75	2.50
$\bar{3}$ -4'	3.75	3.50	3.25
4 - $4\frac{1}{2}'$	4.50	4.25	
T. occ. elegantissima	(Giant Arbor	rvitae)	
2 - $2\frac{1}{2}'$	2.75	2.50	2.25
$2\frac{1}{2}$ - 3^{\prime}	3.25	3.00	2.75
$\bar{3}$ -4'	4.00	3.75	
4-5'	5.00	4.50	
T. occ. pyramidalis	(Pyramidal	Arb.)	
2 - $2\frac{1}{2}'$	2.50	2.25	
$2\frac{1}{2}$ - $3'$	3.00	2.75	2.50
3-4'	3.50	3.25	3.00
4-5'	4.50		
T. occ. rosenthali (l	Rosenthal Ar	b.)	
2 - $2\frac{1}{2}'$	3.25		
$2\frac{1}{2}$ - $3'$	4.25		
4-5'	6.00	5.50	
T. standishi (Standi		0.00	
8-10'	16.50		
T. occ. wareana (Sil			
· ·	2.00	1.75	•
$1\frac{1}{2} - 2' \ 2 - 2\frac{1}{2}'$	$\frac{2.00}{2.50}$	$\frac{1.75}{2.25}$	
		4.40	
4-5'	6.00		
5-6'	7.50		
T. orientalis nana a			2.25
$15\text{-}18^{\prime\prime}$	2.75	2.50	2.25
18-24''	3.25	3.00	2.75
$2 - 2\frac{1}{2}'$	3.75	3.50	3.25
TSUGA canadensis	(Canadian H	emlock)	
$1\frac{1}{2}$ -2'	3.00	2.75	2.50
$2-2\frac{1}{2}'$	3.75	3.50	3.25
$2 - \frac{1}{2} - 3'$	4.50	4.25	4.00
$\frac{2}{3}$ - $3\frac{1}{2}$ '	6.50	6.00	5.50
$3\frac{1}{2}$ -4'	7.50	7.00	6.50
-	9.00	1.00	0.00
$3\frac{1}{2}-4'$ Heavy		0 50	0 00
4-5'	9.00	8.50	8.00
4-5' Heavy	$\frac{11.00}{12.50}$	19.00	
5-6'	13.50	13.00	

18 BUL	K'S NURSERI	ES	
	Each	Each per 10	Each per 100
ULMUS americana	(American E	lm)	
$2-2\frac{1}{2}''$ Cal.	9.00	8.00	
$2\frac{1}{2}$ -3"" "	12.00	10.00	
$3-3\frac{1}{2}''$ "	16.00	15.00	
$3\frac{1}{2}$ -4" "	20.00		
7-8′′ ′′	65.00		
ULMUS pumila (S	Siberian Elm)		
$2-2\frac{1}{2}^{"}$ Cal.	9.00	8.00	
$2\frac{1}{2}$ - $3^{\prime\prime}$,,	12.00	10.00	
VACCINIUM hybroactics (In Varieties	***	Blueberry) B&B
2-3'	2.50	2.25	
VIBURNUM carles			
V. juddi (Fragran	_	Dui Humi)	
	g Growth) —	B&B	
	Above Two		
2 - $2\frac{1}{2}$ '	3.25		
$2\frac{1}{2}$ -3'	3.75		
3-4'	4.50		
V. lentago (Nanny	berry)		
5-6'	2.00	1.75	
6-7'	2.50		
V. dentatum (Arre	ow Wood)		
V. opulus (Europe	an Cranberry	Bush)	
Prices of	Above Two	Varieties	
3-4'	1.25	1.00	
4-5'	1.50	1.25	
5-6'	1.75	1.50	
V. op. sterilis (Con	mmən Snowba	11)	
3-4'	1.50	1.25	
4-5'	1.75	1.50	
V. theiferum (Tea	Viburnum)		
2-3'	1.25	1.00	
3-4'	1.75	1.50	
V. tomentosum (I	ouble File Vil	ournum)	
2-3'	1.00	.90	
3-4'	1.25	1.00	
4-5'	1.50	1.25	
WEIGELA rosea	(Pink Weigela)	
3-4'	.90	.75	
4-5'	1.25		
W. vaniceki (Red)		1.00	
3-4'	1.00	.85	
4-5'	1.50	.00	
W. nana variegata		Faliare	
2-3'	.90	.75	
3-4'	1.10	.15 .95	
O-I	1.10	.90	

VINES and CLIMBERS

WISTERIA sinensis, sinensis alba (Chinese Wisteria)

B&B

		Each	Each per 10
5-6 Year	Grafts —	\$7.50 eac	ch
SINENSIS and	ORIENTA	L HYBRII	S

S. floribunda Naga Noda

S. floribunda Kyushku

Heavy Mature Grafts, extra heavy, staked B&B

6-9' — \$18.00 - \$24.00 each

LINING OUT TAXUS CAPITATA

(Upright Yew)

From field rows, several times transplanted and sheared. Can be safely shipped bare root, puddled. (Excellent Root System.)

	Each	Each
ROW RUN	per 100	per 1000
$2\frac{1}{2}$ -3' B.R.	2.75	2.25
3-4' "	3.25	3.00
3-4' B&B	3.75	3.50

LINING OUT STOCK LARGE QUALITY LINERS

3-4 Years, Field Grown Transplants

II EV averate	per 100	per 1000
ILEX crenata 10-15"	.65	.55
TAXUS cuspidata 12-18"	.85	.75
T. media Hicksi 12-15"	.85	.75

ROSES HYBRID TEA

3-Year (in varieties) — 90 cents


CONTAINER-GROWN STOCK IN ONE-GALLON METAL CANS

	each
ABEUIA grandiflora	¢1 50
15-18" BERBERIS Juliane	\$1.50
12-15"	2.00
ACER palmatum atropurpureum	
$1\frac{1}{2}$ -2'	3.50
HYPERICUM aureum	
$\frac{1_{\frac{1}{2}}-2'}{2}$	1.25
CYDONIA Coral Sea	1.75
15-18" MAHONIA aquifolium	1.75
$1-1\frac{1}{2}$ -	2.00
COTONEASTER horizontalis	

3.00

 $1\frac{1}{2}$ -2'





BULK'S NURSERIES

BABYLON, NEW YORK

Telephone 9-4400